
A Civil Action Statistics Worksheet Answers

*A Civil Action
Statistics
Worksheet
Answers*

Downloaded from [turn-nyc-
edge-vdmdp.louper.io](https://turn-nyc-edge-vdmdp.louper.io) by
Brooks & Cameron

INTRODUCTION: MORE THAN A COURTROOM DRAMA

Jonathan Harr's 1995 book *A Civil Action* and the subsequent 1998 film starring John Travolta tell the gripping story of a small-town water contamination case. On the surface, it is a legal thriller about toxic torts, corporate malfeasance, and the collapse of a law firm. But beneath the courtroom theatrics

lies a deeper, often overlooked

protagonist: **statistics**.

The entire case—whether the leukemia cluster in Woburn,

Massachusetts, was caused by chemical dumping—rested on the interpretation of numbers. For students of law, environmental science, or data analysis,

understanding the statistical reasoning behind the case is essential. This is where a resource like **A Civil Action Statistics Worksheet Answers**

becomes invaluable. Such a worksheet typically breaks down the key statistical tests, hypotheses, and fallacies that decided the case. In this article, we will explore the major statistical concepts from the case, provide model answers to common worksheet questions, and explain how to think critically about evidence in legal settings.

OVERVIEW OF A CIVIL ACTION AND THE ROLE OF STATISTICS

The story centers on the townspeople of Woburn, Massachusetts, who experienced an unusually high number of childhood leukemia cases. The plaintiffs argued that the contamination of two

municipal wells by industrial solvents—specifically trichloroethylene (TCE) and perchloroethylene (PCE)—caused the cancers. The defendants, including W.R. Grace and Beatrice Foods, claimed the cluster was random. To resolve this, the court turned to statistical evidence.

The Legal Battle and Statistical Evidence

In a toxic tort case, the burden of proof is typically “preponderance of the evidence” in civil

cases—meaning more likely than not (greater than 50% probability) that the defendant's actions caused the harm. To establish causation, plaintiffs used epidemiological studies and statistical tests. The key question was: Is the observed leukemia cluster statistically significantly higher than what would be expected by chance? The statistical analysis involved comparing the observed number of cases to an expected number based on national or state incidence rates, often using a Poisson distribution because leukemia is a rare event.

The worksheet that accompanies *A Civil Action* in many classrooms asks students to replicate

some of these analyses. A well-prepared set of **A Civil Action Statistics Worksheet Answers** helps learners grasp why the judge excluded certain evidence, why p-values mattered, and why the jury ultimately struggled with the numbers.

KEY STATISTICAL CONCEPTS IN THE CASE

To answer worksheet questions correctly, one must first understand the fundamental statistical ideas that were at play. These include hypothesis testing, p-values, confidence intervals, and the concept of statistical power. Each of these became a battlefield in the courtroom.

Hypothesis Testing and P-Values

In the Woburn case, the null hypothesis (H_0) was that the leukemia rate in the exposed population was the same as the background rate. The alternative hypothesis (H_1) was that the rate was higher. A p-value was calculated: the probability of observing at least as many cases as actually occurred, assuming the null hypothesis is true. A small p-value (e.g., less than 0.05) would be considered statistically significant. However, the worksheet typically asks: *What does a p-*

value of 0.03 really mean? The correct answer is not “there is a 3% chance that the contamination caused the cancer,” but rather “if the contamination had no effect, there is a 3% chance of seeing such an extreme cluster purely by chance.” Many students—and even legal professionals—misinterpret this, so a good set of **A Civil Action Statistics Worksheet Answers** clarifies the definition.

Confidence Intervals and Error

Margins

Confidence intervals provide a range of plausible values for the true risk ratio. For example, if the relative risk of leukemia in the exposed area was 2.5 with a 95% confidence interval of (1.1, 5.7), that interval does not include 1.0, suggesting the effect is statistically significant. But the width of the interval also reflects precision. A worksheet may ask: *How does the sample size affect the confidence interval?* The answer: larger sample sizes lead to narrower intervals, giving more precise estimates. In Woburn, the number of cases was small, so confidence intervals were wide, making causation harder to

prove.

SAMPLE WORKSHEET QUESTIONS AND ANSWERS

Below are typical questions found on a civil action statistics worksheet, along with model answers. These mimic the style of a high school or undergraduate assignment.

Question 1: Interpreti ng p- values

Question: In the trial, an expert testified that the p-value for the leukemia cluster in

East Woburn was 0.015. Explain what this value means in context. Is it strong evidence that the contamination caused the cancers?

Answer: The p-value of 0.015 indicates that if the null hypothesis were true—meaning the water contamination had no effect on leukemia rates—the probability of observing a cluster as extreme as the one in East Woburn (or more extreme) is 1.5%. This is below the conventional significance threshold of 0.05, so the result is considered statistically significant. However, statistical significance does not automatically imply causation. There may be confounding factors, selection bias, or multiple comparisons (many

sub-regions tested). In the context of the trial, this p-value provided some evidence against the null, but the defense argued that because several geographic zones were examined, the threshold should be adjusted (Bonferroni correction). So, while it is suggestive, it is not conclusive proof of causation on its own.

Question 2: Power of a Test

Question: Suppose the true relative risk of leukemia due to contaminated water is 1.8. If the study had only 20 leukemia cases in the exposed area, what can you say about the statistical

power? Why does this matter in the courtroom?

Answer: Statistical power is the probability of correctly rejecting the null hypothesis when it is false (i.e., detecting a true effect). With a small number of cases (20) and a moderate effect (relative risk 1.8), the power might be low—perhaps below 0.80, which is often considered adequate. Low power means the study is less likely to find a statistically significant result even if the contamination actually causes harm. In court, a non-significant result from an underpowered study does not prove safety; it only means the data are inconclusive. The defense might misuse such non-significance

to claim “no evidence of harm,” when in reality the study lacked the sensitivity to detect it. This is a common pitfall highlighted in **A Civil Action Statistics Worksheet Answers**.

Question 3: Multiple Comparisons

Question: The plaintiffs tested leukemia rates in 12 different census tracts around Woburn. They found a statistically significant p-value in only one tract. Should this be considered evidence of causation? Explain the multiple

comparisons problem.

Answer: When multiple independent tests are performed, the chance of at least one false positive increases. With a significance level of 0.05, if you test 12 regions, the probability of finding at least one significant result purely by chance is $1 - (0.95)^{12} \approx 0.46$. That is nearly a 50% chance. Thus, a single significant p-value among many tests is weak evidence unless the significance threshold is adjusted (e.g., Bonferroni correction: divide 0.05 by 12 to get 0.0042). In the actual case, the judge excluded the plaintiff's statistical evidence partly because of this multiple comparisons issue—the analysis had “fished” for a

significant result. The worksheet answer should stress that adjusting for multiple comparisons is critical when many subgroups are examined post hoc.

HOW TO ANALYZE A CIVIL ACTION STATISTICS WORKSHEET

When working through such a worksheet, it helps to adopt a structured, step-by-step approach. The following method ensures you don't miss key nuances.

Step-by- Step Approach

1. **Identify the null and alternative hypotheses:**

Write them in plain language.
For example, H_0 : The leukemia rate in the exposed area equals the background rate.
 H_1 : The rate is higher.

2. **Check the type of data:** Are the data counts (Poisson), proportions (binomial), or continuous? Most toxic tort analyses use Poisson or binomial distributions because they deal with rare event counts.
3. **Calculate the expected number of cases:** Multiply the population at risk by the background

incidence rate. For instance, if the background rate is 0.0001 per person-year and the exposed population is 10,000 person-years, expect 1 case.

4. **Compute the test statistic and p-value:** Use the appropriate test (e.g., exact Poisson test). A worksheet may provide the numbers and ask for interpretation.
5. **Consider effect size and confidence interval:** Do not rely solely on p-values. Report the relative risk or odds ratio and its 95% confidence

- interval.
6. **Evaluate assumptions:** Were the cases independent? Was the population stable? Were there potential confounders like age, smoking, or occupation?
7. **Address multiple comparisons:** If the analysis involved many subgroups, apply a correction or discuss the inflation of Type I error.
8. **Draw a cautious conclusion:** Statistical significance is not synonymous with legal causation. Acknowledge uncertainty,

study limitations, and alternative explanations.

These steps are exactly what a well-structured set of **A Civil Action Statistics Worksheet Answers** should guide students through.

COMMON MISTAKES AND MISINTERPRETATIONS

Even advanced students often stumble on the same traps. By anticipating these errors, you can both solve the worksheet correctly and understand why the real trial was so contentious.

- **Confusing statistical significance with practical importance:** A

very small p-value might be obtained from a huge sample even if the actual effect is tiny. In Woburn, the effect size (relative risk) was more important than the p-value alone.

- **Ignoring the base rate fallacy:** People tend to overestimate the probability of a rare event when presented with a positive test. In law, this can lead to overconfidence in statistical evidence.
- **Misinterpreting p-values as the probability that the null hypothesis is**

true: This is a common error. The p-value is not the probability of H_0 . It is the probability of data given H_0 .

- **Using the wrong denominator:** Some worksheet problems incorrectly compare observed cases to total population instead of person-years at risk. This changes the expected number and invalidates the test.
- **Overlooking confounding variables:** In Woburn, factors like prior medical history,

occupation, and residence time were not fully accounted for in the simple cluster analysis. The worksheet may ask: “Why might the simple Poisson test be insufficient?”

A comprehensive set of **A Civil Action Statistics Worksheet Answers** will flag these pitfalls and provide clear, correct reasoning.

CONCLUSION: WHY

STATISTICS MATTER IN JUSTICE

The story of *A Civil Action* is a sobering reminder that numbers are not neutral. They can be wielded with precision or manipulated to confuse. For anyone studying law, public health, or data science, mastering the statistical reasoning behind the Woburn case is essential. A well-crafted **A Civil Action Statistics Worksheet Answers** does