
The Appendicular Skeleton Review Sheet Exercise 9

*The Appendicular
Skeleton Review Sheet
Exercise 9*

*Downloaded from [turn-nyc-
edge-vdmdp.louper.io](https://turn-nyc-edge-vdmdp.louper.io) by
Nicholson & Farrell*

INTRODUCTION TO THE APPENDICULAR SKELETON REVIEW SHEET EXERCISE 9

For students of human anatomy, the appendicular skeleton represents one of the most fascinating and immediately applicable areas of study. Unlike the axial skeleton, which forms the central axis of the body, the appendicular

skeleton includes the bones of the limbs and the girdles that attach them to the trunk. If you are working through **The Appendicular Skeleton Review Sheet Exercise 9**, you are likely in the middle of a foundational anatomy or physiology course, and this review sheet is designed to help you consolidate your understanding of the pectoral girdle, pelvic girdle, upper limbs, and lower limbs. Mastering this content is essential not only for passing exams but also for

APPENDICULAR SKELETON: An important review of the appendicular skeleton is a valuable tool for support more advanced studies in kinesiology, physical therapy, nursing, or sports medicine.

This article provides a detailed walkthrough of the key concepts typically covered in Exercise 9. We will explore the major bones, their landmarks, and the functional relationships that make the appendicular skeleton so critical for movement and stability. Whether you are using this review as a study companion or looking for a refresher before a lab practical, the following sections will help you move from memorization to genuine comprehension.

UNDERSTANDING THE

OVERVIEW

The appendicular skeleton consists of 126 bones in total. When paired with the 80 bones of the axial skeleton, the human body contains 206 bones in a typical adult. The term "appendicular" comes from the word "appendage," meaning something that is attached to a main structure. In this case, the appendicular skeleton is everything that hangs off the axial skeleton. This includes the upper extremities (shoulder, arm, forearm, wrist, and hand) and the lower extremities (hip, thigh, leg, ankle, and foot), along with the girdles that anchor them.

In **The Appendicular Skeleton Review Sheet Exercise 9**, you are

typically asked to identify bones, label specific markings, and understand how these structures articulate with one another. The review sheet usually emphasizes bone names, bony landmarks, and the differences between male and female pelves, as well as the unique adaptations of the human hand and foot.

The Pectoral Girdle: Connecting the

Upper Limbs

The pectoral girdle, also known as the shoulder girdle, is composed of two pairs of bones: the clavicles (collarbones) and the scapulae (shoulder blades). Unlike the pelvic girdle, which is designed for weight-bearing stability, the pectoral girdle prioritizes mobility. This trade-off allows for the incredible range of motion seen in the human shoulder but also makes it more prone to dislocation.

The clavicle is an S-shaped long bone that acts as a strut, holding the arm away from the trunk. It articulates medially with the manubrium of the sternum at the sternoclavicular joint and laterally with the acromion of the scapula at the acromioclavicular joint.

The clavicle is one of the most commonly fractured bones in the body, especially in falls onto an outstretched hand. When reviewing Exercise 9, it is important to note the conoid tubercle and the impression for the costoclavicular ligament as key landmarks on the clavicle.

The scapula is a flat, triangular bone that sits on the posterior side of the rib cage. It extends from the second to the seventh rib. Key features include the spine of the scapula, the acromion, the coracoid process, the glenoid cavity, and the suprascapular notch. The glenoid cavity is a shallow, socket-like structure that articulates with the head of the humerus to form the glenohumeral joint. The coracoid process serves as an attachment point for muscles such as

the pectoralis minor and the coracobrachialis.

The Upper Limb: From Humerus to Phalanges

The upper limb consists of 30 bones per side: the humerus in the arm, the radius and ulna in the forearm, 8 carpal bones in the wrist, 5 metacarpal bones in the palm, and 14 phalanges in the fingers.

The humerus is the longest and largest bone of the upper limb. Its proximal end features a rounded head that articulates with the glenoid cavity. The anatomical neck and the surgical neck are important

landmarks, with the surgical neck being a common site of fracture. The greater tubercle and lesser tubercle are sites of muscle attachment for the rotator cuff muscles. The deltoid tuberosity, located on the lateral shaft, is where the deltoid muscle attaches. Distally, the humerus widens into medial and lateral epicondyles, which provide attachment for forearm muscles. The trochlea and capitulum articulate with the ulna and radius, respectively.

The radius is located on the lateral side of the forearm (the thumb side), while the ulna is on the medial side (the pinky side). The ulna is the longer of the two and features the olecranon process at its proximal end, which forms the point of the elbow. The radial head is disk-shaped and articulates with the

capitulum of the humerus. The interosseous membrane connects the radius and ulna along their shafts. At the distal end, the radius is the primary bone involved in the wrist joint, articulating with the scaphoid and lunate carpal bones.

The carpal bones are arranged in two rows of four bones each. The proximal row includes the scaphoid, lunate, triquetrum, and pisiform. The distal row includes the trapezium, trapezoid, capitate, and hamate. The carpal tunnel, formed by the carpal bones and the flexor retinaculum, is a common site of nerve compression. The metacarpals are numbered I through V, with the first metacarpal supporting the thumb. The phalanges are arranged as proximal, middle, and distal, except for the thumb,

which lacks a middle phalanx.

THE PELVIC GIRDLE: STABILITY AND SUPPORT

The pelvic girdle is composed of two hip bones (coxal bones) that articulate anteriorly at the pubic symphysis and posteriorly with the sacrum. Unlike the pectoral girdle, the pelvic girdle is a ring-like structure designed to bear the weight of the upper body and transfer it to the lower limbs. Each hip bone is formed by the fusion of three bones: the ilium, ischium, and pubis. These bones fuse at the acetabulum, the deep socket that receives the head of the femur.

The ilium is the largest of the three bones and forms the superior portion of the hip bone. The iliac crest is the curved upper border that can be felt at

the waist. The anterior superior iliac spine (ASIS) is an important landmark for measuring leg length and for the attachment of the inguinal ligament. The ischium forms the posterior and inferior portion of the hip bone and features the ischial tuberosity, which is the weight-bearing bone when you are sitting. The pubis forms the anterior portion and meets at the pubic symphysis.

When studying **The Appendicular Skeleton Review Sheet Exercise 9**, you will often be asked to compare the male and female pelvises. The female pelvis is generally wider, shallower, and has a larger pelvic inlet and outlet to accommodate childbirth. The pubic arch in females is wider (greater than 90 degrees), while in males it is more narrow (less than 90 degrees). The

obturator foramen, a large opening in the hip bone, is also larger in females.

The Lower Limb: Femur to Phalanges

The lower limb consists of 30 bones per side: the femur in the thigh, the patella (kneecap), the tibia and fibula in the leg, 7 tarsal bones in the ankle, 5 metatarsal bones in the foot, and 14 phalanges in the toes.

The femur is the longest and strongest bone in the human body. Its proximal end features a rounded head that articulates with the acetabulum. The

neck of the femur is a common site of fracture in elderly individuals. The greater and lesser trochanters are large projections that serve as attachment points for muscles of the hip and thigh. The linea aspera is a ridge on the posterior shaft that provides attachment for several thigh muscles. Distally, the femur features medial and lateral condyles that articulate with the tibia.

The patella is a sesamoid bone embedded in the quadriceps tendon. It increases the leverage of the quadriceps muscle and protects the knee joint. The tibia is the weight-bearing bone of the leg and is located medially. Its proximal end features medial and lateral condyles that articulate with the femur. The tibial tuberosity is the attachment point for the patellar ligament. The fibula is a

slender, non-weight-bearing bone located laterally. It articulates with the tibia at the proximal and distal tibiofibular joints. The lateral malleolus of the fibula forms the outer ankle.

The tarsal bones include the talus, calcaneus, navicular, cuboid, and three cuneiform bones (medial, intermediate, and lateral). The talus articulates with the tibia and fibula to form the ankle joint. The calcaneus is the heel bone and is the largest tarsal bone. The metatarsals are numbered I through V, with the first metatarsal supporting the big toe. The phalanges of the foot are similar to those of the hand, with the big toe having only proximal and distal phalanges, while the other toes have proximal, middle, and distal phalanges.

COMMON REVIEW QUESTIONS IN EXERCISE 9

If you are reviewing **The Appendicular Skeleton Review Sheet Exercise 9**, you are likely encountering a mix of labeling exercises, multiple-choice questions, and short-answer prompts. Here are some of the most common types of questions and how to approach them with confidence.

Labeling Bony Landmarks

One of the most frequent tasks is to identify specific bony landmarks on diagrams. For example, you might be asked to locate the acromion on the

scapula, the radial tuberosity on the radius, or the ischial spine on the hip bone. The best approach is to learn landmarks in groups. For each bone, ask yourself: what are the proximal features, what are the distal features, and what features are on the shaft? This systematic approach helps prevent confusion.

Articulation Questions

You may be asked which bones articulate at a particular joint. For instance, which bones form the elbow joint? The answer is the humerus, radius, and ulna. Which bones form the ankle joint? The talus, tibia, and fibula.

Understanding articulation is not just about memorization; it is about understanding how bones work together. When you know that the glenoid cavity is shallow, you can predict that the shoulder joint will have a wide range of motion but less stability than the hip joint.

Functional Comparisons

Exercise 9 often asks you to compare the pectoral and pelvic girdles. The pectoral girdle emphasizes mobility and does not form a complete ring, while the pelvic girdle emphasizes stability and forms a complete ring. Similarly, you might be asked to compare the male and

female pelvis or to explain why the femur is stronger than the humerus. These types of questions test your ability to apply anatomical knowledge to real-world function.

TIPS FOR MASTERING THE APPENDICULAR SKELETON

Mastering the material in **The Appendicular Skeleton Review Sheet Exercise 9** requires more than just reading a textbook. Here are some practical strategies that have helped countless anatomy students succeed.

Use Mnemonics Strategically. For the carpal bones, a common mnemonic is "Some Lovers Try Positions That They Cannot Handle" (Scaphoid, Lunate, Triquetrum, Pisiform, Trapezium, Trapezoid, Capitate, Hamate). For the

tarsal bones, "Tiger Cubs Need Milk" (Talus, Calcaneus, Navicular, Medial cuneiform, Intermediate cuneiform, Lateral cuneiform, Cuboid) can be helpful. Create your own if these do not stick, but be sure to practice recalling the names in order.

Practice with Physical Models. If you have access to a lab with bone models, use them. Pick up each bone and orient it in your hand. Run your fingers along the landmarks. Close your eyes and try to name the bone and its features just by touch. This kinesthetic learning is far more effective than looking at a flat image.

Draw and Label. One of the best ways to solidify your understanding is to draw the bones yourself, even if you are not an artist. Sketch a rough outline and

then add the major landmarks. Label everything you can remember, then check your work against your review sheet. The act of drawing forces your brain to encode the spatial relationships between landmarks.