

---

# Osram Sylvania Bulb Size Guide

---

Osram  
Sylvania  
Bulb Size  
Guide

Downloaded from [turn-nyc-edge-vdmdp.louper.io](https://turn-nyc-edge-vdmdp.louper.io) by  
Evelin & Cabrera

---

## INTRODUCTION: NAVIGATING THE WORLD OF OSRAM SYLVANIA BULB SIZES

---

Lighting is one of the most fundamental yet often overlooked elements in our daily lives. Whether you are replacing a burnt-out bulb in your living room, upgrading your kitchen under-cabinet lighting, or retrofitting an entire commercial building, the sheer variety of bulb options can quickly become overwhelming. Among the most trusted

names in the lighting industry, Osram Sylvania stands as a beacon of quality and innovation. However, even with a premium brand, the first and most crucial step is understanding which bulb size you actually need. This comprehensive guide will walk you through everything you need to know about the **Osram Sylvania Bulb Size Guide**, helping you decode the sometimes cryptic numbers and letters that define modern lighting solutions.

The challenge for most consumers is not a lack

## UNDERSTANDING

Whether an excess of technical jargon. Terms like A19, PAR30, GU10, and G24q-2 can feel like a foreign language. Yet, selecting the wrong size can lead to poor light distribution, safety hazards, or simply a bulb that does not fit your fixture. Osram Sylvania produces thousands of different bulb types, each with a specific size designation, base type, and application. By the end of this article, you will be equipped with the knowledge to confidently navigate product catalogs, identify the correct bulb for any socket, and make informed purchasing decisions that save time, money, and frustration.

---

## BULB SIZE DESIGNATIONS: WHAT DO THE NUMBERS AND LETTERS MEAN?

---

Before diving into specific Osram Sylvania products, it is essential to understand the standardized naming system used across the lighting industry. Most bulb sizes follow a consistent format that indicates the shape and diameter of the bulb. The letter or letters refer to the shape, while the number refers to the diameter in eighths of an inch. For example, an A19 bulb has an "Arbitrary" shape and a diameter of 19 eighths of an inch, which equates to approximately 2.375 inches. This system is

universal, meaning that when you see an Osram Sylvania A19 bulb, it will have the same physical dimensions as any other A19 bulb on the market.

Common shape designations include A (standard bulb shape), B (candle or bullet tip), C (cone), G (globe), PAR (parabolic aluminized reflector), MR (multifaceted reflector), and T (tubular). For reflector bulbs like PAR and MR, the number often refers to the face diameter in eighths of an inch, though there are exceptions. Osram Sylvania also produces many specialized bulbs for automotive, theatrical, and industrial applications, which may follow slightly different naming conventions.

However, for residential and most commercial uses, the standard nomenclature applies.

## Why Size Matters Beyond Simple Fit

Choosing the correct bulb size is not merely about whether the bulb screws into the socket. The physical dimensions of a bulb directly affect heat dissipation, light distribution, and the overall aesthetic of your fixture. A bulb that is too large may protrude from a shade, creating glare and an unattractive appearance. Conversely, a bulb that

is too small may leave shadows or fail to output adequate light for the space. Osram Sylvania designs its bulbs to precise specifications, ensuring that each size meets industry standards for performance and safety. When you replace a bulb with the exact size designation, you maintain the intended photometric performance of your fixture.

---

#### **THE OSRAM SYLVANIA BULB SIZE GUIDE: COMMON RESIDENTIAL BULBS**

---

This section breaks down the most common Osram Sylvania bulb sizes you are likely to encounter in your home. Each category includes

typical applications, base types, and essential tips for selection.

## **A19 and A21 Bulbs: The Househol d Staples**

The A19 is arguably the most recognizable bulb shape in the world. Osram Sylvania produces a vast array of A19 bulbs across its SYLVANIA and OSRAM brands, including incandescent, halogen, CFL, and LED versions. The standard medium base (E26) makes these bulbs compatible

with the vast majority of table lamps, floor lamps, ceiling fixtures, and wall sconces found in North American homes. When shopping for an A19, pay close attention to the bulb's lumen output and color temperature rather than focusing solely on wattage equivalency. Osram Sylvania LED A19 bulbs, for example, typically consume only 8 to 12 watts while producing the equivalent light of a 60-watt incandescent bulb.

The A21 bulb is slightly larger than the A19, with a diameter of 2 1/8 inches (approximately 2.625 inches). Osram Sylvania A21 bulbs are often used in fixtures that require higher light output, such as large floor lamps or pendant lights where a

bigger bulb is aesthetically appropriate. Because the A21 is physically larger, it may not fit in lampshades designed for A19 bulbs. Always check the harp and shade clearance before purchasing an A21 bulb.

## Globe Bulbs: G25, G30, and G40

Globe-shaped bulbs are frequently used in vanity mirrors, pendant lights, and exposed fixtures where the bulb itself is part of the design. Osram Sylvania offers globe bulbs in several sizes. The G25

is a popular choice for bathroom vanities, featuring a medium base and a diameter of 3.125 inches. The G30 is slightly larger and often seen in decorative hanging fixtures. The G40 is substantially larger, commonly used in string lights and larger pendants. When selecting an Osram Sylvania globe bulb, consider whether you need a clear or frosted finish. Clear globes provide a crisp, decorative look with visible filaments, while frosted globes produce softer, diffused light that minimizes glare.

## Candelabra Bulbs:

### B10 and CA10

Chandeliers, sconces, and decorative fixtures frequently utilize candelabra-based bulbs. The B10 (bullet tip) and CA10 (candle angle) are the most common shapes, both fitting the E12 candelabra base. Osram Sylvania produces these bulbs in a variety of styles, including traditional incandescent, halogen for brighter light, and LED for energy efficiency. The B10 has a straight-sided shape with a pointed tip, while the CA10 has a bent tip reminiscent of a flickering flame. Both sizes are approximately 1.25 inches in diameter and vary in length, so

always measure the socket depth in your fixture to ensure the bulb does not protrude excessively.

---

### **REFLECTOR BULBS: PAR, BR, AND MR SIZES**

---

Reflector bulbs are designed to direct light in a specific beam pattern, making them ideal for recessed cans, track lighting, outdoor floodlights, and display lighting. Osram Sylvania offers an extensive range of reflector bulbs across various sizes and beam angles.

## **PAR Bulbs: PAR16,**

## **PAR20, PAR30, and PAR38**

PAR bulbs use a parabolic aluminized reflector to produce a controlled, narrow beam. The number indicates the diameter in eighths of an inch. For example, a PAR16 is 2 inches in diameter (16/8), a PAR20 is 2.5 inches, a PAR30 is 3.75 inches, and a PAR38 is 4.75 inches. Osram Sylvania PAR bulbs are commonly used in recessed lighting and outdoor fixtures. The PAR16 is a smaller bulb often found in track heads and landscape lighting, while the PAR38 is a larger, more

powerful bulb used for security lighting and large-area flood illumination. When selecting a PAR bulb, consider the beam angle: narrow spot (less than 15 degrees), spot (15-25 degrees), narrow flood (25-35 degrees), and flood (greater than 35 degrees).

## BR Bulbs: BR20, BR30, and BR40

BR bulbs, which stand for "bulged reflector," produce a wider, softer beam than PAR bulbs. They are a popular choice for recessed lighting in living spaces, kitchens, and hallways. The Osram

Sylvania BR30 is the most common size for standard 4-inch and 6-inch recessed housings, offering a broad wash of light that illuminates a room evenly. The BR20 is smaller and can fit in tighter spaces, while the BR40 is larger and works best in high-ceiling applications. Unlike PAR bulbs, BR bulbs are generally not rated for outdoor use unless specifically labeled as such.

## MR Bulbs: MR11 and MR16

Multifaceted reflector bulbs, denoted as MR, are small, low-voltage bulbs widely used in track lighting, display cases, and landscape

**COMPACT** The most common sizes are MR11 (1.375 inches in diameter) and MR16 (2 inches in diameter). Osram Sylvania MR16 bulbs typically operate at 12 volts and require a transformer or an electronic low-voltage driver. These bulbs are available in a variety of beam angles, from narrow spot to wide flood, and often use a GU5.3 or GU10 base. The GU10 base is line voltage (120V) and does not require a transformer, making it a simpler retrofit option. When replacing an MR bulb, ensure you match the base type exactly; a GU5.3 bulb will not fit a GU10 socket and vice versa.

---

### **LINEAR AND SPECIALTY BULBS: T8, T12, AND**

### **FLUORESCENT SIZES**

---

While LED technology has largely replaced fluorescent lighting in many applications, millions of fixtures still use linear and compact fluorescent bulbs. Osram Sylvania remains a major manufacturer of these products, and understanding their sizing is crucial for correct replacement.

## Linear Fluorescent: T8, T12, and

# T5

Linear fluorescent bulbs are designated by the letter "T" (tubular) followed by a number that indicates the diameter in eighths of an inch. A T8 bulb is 1 inch in diameter (8/8), a T12 is 1.5 inches (12/8), and a T5 is 0.625 inches (5/8). Osram Sylvania produces these bulbs in standard lengths of 2, 3, 4, and 8 feet. The most common size for commercial and residential use is the 4-foot T8, which has largely replaced the older and less efficient T12. While the diameters are different, the base pins are similar, but the ballasts are incompatible. If you have an existing T12 fixture, you can retrofit

it with Osram Sylvania T8 bulbs only if you also replace the ballast with a T8-compatible electronic ballast. Alternatively, many Osram Sylvania LED linear tubes are designed as direct replacements for T8 and T12 fixtures, often with minimal or no rewiring required.

## Compact Fluorescent: G24q, GX23, and 2G11 Bases

Compact fluorescent bulbs (CFLs) come in a variety of pin-based configurations for use

in dedicated fixtures such as downlights, wall sconces, and bathroom vanity lights. The G24q base is very common, but it exists in several sizes: G24q-1, G24q-2, G24q-3, and G24q-4. These designations correspond to different wattages and physical lengths. An Osram Sylvania G24q-1 bulb is designed for 13-watt applications, the G24q-2 for 18 watts, the G24q-3 for 26 watts, and the G24q-4 for 32 watts. They are not interchangeable; a G24q-3 bulb will not physically fit into a socket wired for a G24q-1. Always check the existing bulb or fixture marking to determine the correct G24q size. Similarly, the GX23 base has GX23-1 and GX23-2 variations, and the

2G11 base is used for larger linear CFLs. Osram Sylvania also offers LED retrofit kits that replace the entire CFL bulb and ballast, providing a longer-lasting and more efficient solution.

---

## HOW TO IDENTIFY THE CORRECT OSRAM SYLVANIA BULB SIZE

---

Identifying the correct bulb size for your fixture is simpler than it may seem. Follow these practical steps to ensure you purchase the right Osram Sylvania product on your first attempt.

1. **Read the Existing Bulb:** If the old bulb is still intact, examine the printed text on the base or the glass envelope.

You will typically find the bulb type (e.g., A19, PAR30, BR30), the wattage, and the voltage.

Write this information down before you go shopping.

2. **Measure the Diameter:** If the markings have worn off, measure the bulb's diameter at its widest point using a ruler. Divide the measurement in inches by 0.125 (one-eighth inch)

to determine the size number. For instance, a bulb measuring 2.375 inches in diameter is 19 eighths of an inch, indicating an A19 bulb.

3. **Identify the Base:** The base is the metal part that screws or pushes into the socket. Common bases include the standard medium base (E26), candelabra base (E12), bi-pin (G4, G8